China Ascend High Recovery Knelson Gold Centrifugal Concentrator With 10 15 20 Tph Capacity For Gold Mining

Basic Information

Place of Origin: CHINA
Brand Name: ASCEND
Certification: ISO9001

Model Number: STLB20 STLB30 STLB40 STLB60 STLB80

STLB100

• Minimum Order Quantity: 1 set

Price: USD 7600-8600 set

Packaging Details: Water and rust proof in wooden box or

containe

Delivery Time: 7-10 working days
 Payment Terms: T/T, Western Union
 Supply Ability: 20 set per month



Product Specification

Product Name: Knelson Gold Concentrator
 Keywords: Alluvial Gold Mining Machine

Application: Gold

Advantage: High Efficiency Low EnergyAfter Sale Service: Engineer Overseas Service

Highlight: high recovery gold centrifugal concentrator,

10 tph gold centrifugal concentrator, 20 tph gold centrifugal concentrator



More Images







Product Description


China Ascend high recovery knelson gold centrifugal concentrator with 10 20 tph capacity for gold mining

The Knelson gold concentrator is a gravity concentrator equipment which is hot selling in African market, mainly used for gold mining. It is mainly used for recovering fine free gold from rock gold and placer gold. There are two kinds of gold mines, alluvial gold mine and rock gold mine. It is also used with ball mill, wet disc mill or shaking table.



Working Principle

The Knelson Concentrator relies on an enhanced gravitational force together with fluidization process to recover even very micron sized particles. When the machine starts to working, the motor drives the cylinder to run, and the material enters from the grouting port. The water volume and speed of the water in the backwash water into the pipe and the rotation of the cylinder are used to separate the tailings and concentrates.



Specication

specication							
Model		STLB20	STLB30	STLB40	STLB60	STLB80	STLB100
Feeding Capacity	T/H	1-2	2-3	6-8	10-20	30-40	50-80
Fluidization Water Required	T/H	1-2	4-6	7-9	10-15	20-30	17-25
Pressure water	Мра	0.05-0.1	0.1-0.2	0.1-0.2	0.1-0.2	0.1-0.2	0.1-0.3
Feeding Density	%	10-50	10-50	10-50	10-50	10-50	10-50
Feeding Size	mm	0-4	0-4	0-4	0-5	0-6	0-6
Bowl Cone Rotation Speed	r/mi n	800	600	530	480	400	360
Concentrate Weight	Kg	2-3	10-20	15-25	25-40	45-60	70-80
Motor Power Requirements	KW	0.75	1.5	1.5	4	11	18.5
Approximate Weight	Kg	350	600	850	1400	2200	3700
Approximate Dimensions	mm	940×700× 1000	1200×125 0×1250	1300×145 0×1450	1850×15 50×1600	2000×180 0×1900	2300×2000 ×2300



We also supply







ner Cone Crusher





2-Roller Crusher

Compound Crusher

Grinding Equipment







Wet Pan Mill

Ball Mill

Raymond Mill

Beneficiation Equipment







Flotation Machine

6-S Shaking Table

Jigging Machine

Feeder & Conveyor



GZD Vibrating Feeder





Belt Conveyor



Bucket Elevator

Contact: Wilson

Mobile(WhatsApp/Wechat): +86-18221130967

Email: wilson_ascendme@163.com





Wechat





ASCEND Henan Ascend Machinery Equipment Co., Ltd.



+86 18221130967



wilson_ascendme@163.com



e mining-crushermachine.com

Shenglong block, high tech zone, Zhengzhou, China